



User's Guide

iSeries



Shop on line at

omega.com

Ω OMEGA®

www.omega.com

e-mail: info@omega.com

iSeries info:

www.omega.com/specs/series

For latest product manuals:

www.omegamanual.info



OMEGAnet® On-Line Service www.omega.com	Internet e-mail info@omega.com
----------------------------------------------------------	-------------------------------------------------

Servicing North America:

USA: One Omega Drive, P.O. Box 4047
ISO 9001 Certified Stamford CT 06907-0047
TEL: (203) 359-1660 FAX: (203) 359-7700
e-mail: info@omega.com

Canada: 976 Bergar
Laval (Quebec) H7L 5A1
TEL: (514) 856-6928 FAX: (514) 856-6886
e-mail: info@omega.ca

For immediate technical or application assistance:

USA and Canada: Sales Service: 1-800-826-6342 / 1-800-TC-OMEGA®
Customer Service: 1-800-622-2378 / 1-800-622-BEST®
Engineering Service: 1-800-872-9436 / 1-800-USA-WHEN®

Mexico and Latin America: TEL: (001)800-TC-OMEGA® FAX: (001) 203-359-7807
En Español: (001) 203-359-7803
e-mail: espanol@omega.com

Servicing Europe:

Benelux: Postbus 8034, 1180 LA Amstelveen, The Netherlands
TEL: +31 20 3472121 FAX: +31 20 6434643
Toll Free in Benelux: 0800 0993344
e-mail: sales@omegaeng.nl

Czech Republic: Frystatska 184, 733 01 Karviná
TEL: +420 59 6311899 FAX: +420 59 6311114
e-mail: info@omegashop.cz

France: 11, rue Jacques Cartier, 78280 Guyancourt
TEL: +33 1 61 37 29 00 FAX: +33 1 30 57 54 27
Toll Free in France: 0800 466 342
e-mail: sales@omega.fr


Germany/Austria: Daimlerstrasse 26, D-75392 Deckenpfronn, Germany
TEL: +49 7056 9398-0 FAX: +49 7056 9398-29
Toll Free in Germany: 0800 639 7678
e-mail: info@omega.de

United Kingdom: One Omega Drive
ISO 9002 Certified River Bend Technology Centre
Northbank, Irlam Manchester M44 5BD United Kingdom
TEL: +44 161 777 6611 FAX: +44 161 777 6622
Toll Free in England: 0800 488 488
e-mail: sales@omega.co.uk

It is the policy of OMEGA to comply with all worldwide safety and EMC/EMI regulations that apply. OMEGA is constantly pursuing certification of its products to the European New Approach Directives. OMEGA will add the CE mark to every appropriate device upon certification.

The information contained in this document is believed to be correct, but OMEGA Engineering, Inc. accepts no liability for any errors it contains, and reserves the right to alter specifications without notice.

WARNING: These products are not designed for use in, and should not be used for, patient-connected applications.

 This device is marked with the international caution symbol. It is important to read the Setup Guide before installing or commissioning this device as the guide contains important information relating to safety and EMC.

iR2 Serial Communication Register List

Command	Command Index	Function	Command Bytes	# Of Characters	Default value (ex: with Analog Output option)
RW	01	SP1	3	6	1003E8
RW	02	SP2	3	6	1003E8
GPRW	03	RDGOFF	3	6	A00000
RW	04	ANLOFF	3	6	C001F4
RW	05	ID	2	4	0000
-	06	N/A	-	-	-
RW	07	INPUT	1	2	02
GPRW	08	RDGCNF	1	2	41
RW	09	AL1CNFG	1	2	81
RW	0A	AL2CNFG	1	2	00
RW	0B	LOOP BREAK TIME	2	4	003B
RW	0C	OUT1CNF	1	2	00
RW	0D	OUT2CNF	1	2	62
RW	0E	RAMPTIME	2	4	0000
RW	0F	ANLSCL	3	6	9186A0
RW	10	COMM.PARAMETERS	1	2	0D
RW	11	COLOR	1	2	09
RW	12	AL1LO	3	6	A003E8
RW	13	AL1HI	3	6	200FA0
GPRW	14	RDGSCL	3	6	100001
RW	15	AL2LO	3	6	A003E8
RW	16	AL2HI	3	6	200FA0
GPRW	17	PB1/DEAD BAND	2	4	00C8
GPRW	18	RESET 1	2	4	00B4
GPRW	19	RATE 1	2	4	0
GPRW	1A	CYCLE 1	1	2	7
-	1B	N/A	-	-	-
GPRW	1C	PB2/DEAD BAND	2	4	00C8
GPRW	1D	CYCLE 2	1	2	7
RW	1E	SOAK TIME	2	4	0
RW	1F	BUS FORMAT	1	2	14
GPRW	20	DATA FORMAT	1	2	2
RW	21	ADDRESS	1	2	1
RW	22	Transit Time Interval	2	4	10
R(W?)	23	?	3	6	814585
RW	24	Miscellaneous	1	2	0
RW	25	C.J. OFFSET ADJ.	3	6	200000

RW	26	Recognition Character	1	2	2A
RW	27	%LOW	1	2	0
RW	28	%HI	1	2	63
RW	30	EMISSIVITY Value	2	4	03E8
RW	31	SLOP Value	2	4	03E8
RW	44	VOLT OFFSET (ANLG. CAL.)	2	4	0000
RW	45	VOLT SCALE (ANLG. CAL.)	2	4	8000
RW	46	CURR. OFFSET (ANLG. CAL.)	2	4	0000
RW	47	CURR.SCALE (ANLG. CAL.)	2	4	8000
D	01	DISABLE ALARM 1	0	0	-
D	02	DISABLE ALARM 2	0	0	-
D	03	STANDBY	0	0	-
D	04	DISABLE SELF	0	0	-
E	01	ENABLE ALARM 1	0	0	-
E	02	ENABLE ALARM 2	0	0	-
E	03	DISABLE STANDBY	0	0	-
E	04	ENABLE SELF	0	0	-
X	01	SEND READING(SGLE.COLR)	0	0	-
X	02	SEND PEAK READING	0	0	-
X	03	SEND VALLEY READING	0	0	-
X	04	SEND READING(DUAL COLR)	0	0	
X	05	CALIBRATION (DATA STRING)	0	0	
U	01	SEND ALARM STATUS	0	0	-
U	03	SEND SW VERSION	0	0	(Dec. #)
V	01	SEND DATA STRING	0	0	-
Z	02	HARD RESET	0	0	-

iR2 Modbus Comm. Register Description List

FUNCTION CODE	REGISTER	FUNCTION	NUMBER of BYTE	Default value (ex: with Analog Output option)
03/04, 06	01	SP1 : SETPOINT 1 VALUE	2	03E8
03/04, 06	02	SP2 : SETPOINT 2 VALUE	2	03E8
(N/A)	03	(N/A)	x	X
(N/A)	04	(N/A)	x	X
03/04, 06	05	ID : Security ID code	2	0000
(N/A)	06	(N/A)	X	X
03/04, 06	07	IR : INPUT CONFIGURATION (*)	1	02
03/04, 06	08	RdG.CNF : READING CONFIG (**)	2	41
03/04, 06	09	AL1/ANLG.OUTPUT CNFG	1	81
03/04, 06	0A	AL2/ANLG.OUTPUT CNFG	1	0000
03/04, 06	0B	LOOP BREAK TIME VALUE	2	003B
03/04, 06	0C	OUTPUT 1 CONFIGURATION	1	00
03/04, 06	0D	OUTPUT 2 CONFIGURATION	1	62
03/04, 06	0E	RAMP TIME VALUE	2	0000
(N/A)	0F	(N/A)	X	X
03/04, 06	10	COMM. PARAMETERS	1	0D
(N/A)	11	(N/A)	1	X
03/04, 06	12	ALARM1 LOW VALUE	2	03E8
03/04, 06	13	ALARM1 HIGH VALUE	2	05DC
(N/A)	14	(N/A)	X	X
03/04, 06	15	ALARM2 LOW VALUE	2	0320
03/04, 06	16	ALARM2 HIGH VALUE	2	03E8
03/04, 06	17	PB1/DEAD BAND1 VALUE	2	00C8
03/04, 06	18	RESET1 VALUE(Time in Sec.)	2	00B4
03/04, 06	19	RATE 1 VALUE(Time in Sec.)	2	0000
03/04, 06	1A	CYCLE 1 VALUE(Time in Sec.)	1	07
(N/A)	1B	(N/A)	X	X
03/04, 06	1C	PB2/DEAD BAND2 VALUE	2	00C8
03/04, 06	1D	CYCLE 2 VALUE(Time in Sec.)	1	07
03/04, 06	1E	SOAK TIME	2	0000
03/04, 06	1F	BUS FORMAT	1	14
03/04, 06	20	DATA FORMAT	1	02
03/04, 06	21	ADDRESS	1	01
03/04, 06	22	TRANSIT TIME	2	0010
(N/A)	23	(N/A)	X	X
(N/A)	24	(N/A)	X	X
(N/A)	25	(N/A)	X	X
03/04, 06	26	RECOGNITION CHARACTER	1	2A
03/04	27	PROCESS VALUE	2	(Main Reading)
03/04	28	PEAK VALUE	2	
03/04	29	VALLEY VALUE	2	
03/04	2A	SOFTWARE VERSION	1	

(*) Format description of Register Location 07:

BIT POSITION								<i>I R</i> (INPUT CONFIGURATION) FORMAT REGISTER = 07		
7	6	5	4	3	2	1	0			Value to be read or written:
							0	Laser Off		
							1	Laser On		
						0		Dual Color		
						1		Single Color		
0	0	0	0	0	0	0	0	Dual Color	Laser Off	00
0	0	0	0	0	0	0	1	Dual Color	Laser ON	01
0	0	0	0	0	0	1	0	Single Color	Laser Off	<u>02</u>
0	0	0	0	0	0	1	1	Single Color	Laser ON	03

(**) Format description of Register Location 08:

BIT POSITION								<i>RdG</i> (READING CONFIGURATION) FORMAT REGISTER = 08		
7	6	5	4	3	2	1	0			
				0	0	0	1	°C		
				1	0	0	1	°F		
0	0	0						<i>FLtR</i> (FILTER TIME CONSTANT) = 0001		
0	0	1						<i>FLtR</i> (FILTER TIME CONSTANT) = 0002		
0	1	0						<i>FLtR</i> (FILTER TIME CONSTANT) = <u>0004</u>		
0	1	1						<i>FLtR</i> (FILTER TIME CONSTANT) = 0008		
1	0	0						<i>FLtR</i> (FILTER TIME CONSTANT) = 0016		
1	0	1						<i>FLtR</i> (FILTER TIME CONSTANT) = 0032		
1	1	0						<i>FLtR</i> (FILTER TIME CONSTANT) = 0064		
1	1	1						<i>FLtR</i> (FILTER TIME CONSTANT) = 0128		



WARRANTY/DISCLAIMER

OMEGA ENGINEERING, INC. warrants this unit to be free of defects in materials and workmanship for a period of **one (1) year** from the date of purchase. In addition to OMEGA's standard warranty period, OMEGA Engineering will extend the warranty period for **four (4) additional years** if the warranty card enclosed with each instrument is returned to OMEGA.

If the unit malfunctions, it must be returned to the factory for evaluation. OMEGA's Customer Service Department will issue an Authorized Return (AR) number immediately upon phone or written request. Upon examination by OMEGA, if the unit is found to be defective, it will be repaired or replaced at no charge. OMEGA's WARRANTY does not apply to defects resulting from any action of the purchaser, including but not limited to mishandling, improper interfacing, operation outside of design limits, improper repair, or unauthorized modification. This WARRANTY is VOID if the unit shows evidence of having been tampered with or shows evidence of having been damaged as a result of excessive corrosion; or current, heat, moisture or vibration; improper specification; misapplication; misuse or other operating conditions outside of OMEGA's control. Components which wear are not warranted, including but not limited to contact points, fuses, and triacs.

OMEGA is pleased to offer suggestions on the use of its various products. However, OMEGA neither assumes responsibility for any omissions or errors nor assumes liability for any damages that result from the use of its products in accordance with information provided by OMEGA, either verbal or written. OMEGA warrants only that the parts manufactured by it will be as specified and free of defects. OMEGA MAKES NO OTHER WARRANTIES OR REPRESENTATIONS OF ANY KIND WHATSOEVER, EXPRESS OR IMPLIED, EXCEPT THAT OF TITLE, AND ALL IMPLIED WARRANTIES INCLUDING ANY WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. LIMITATION OF LIABILITY: The remedies of purchaser set forth herein are exclusive, and the total liability of OMEGA with respect to this order, whether based on contract, warranty, negligence, indemnification, strict liability or otherwise, shall not exceed the purchase price of the component upon which liability is based. In no event shall OMEGA be liable for consequential, incidental or special damages.

CONDITIONS: Equipment sold by OMEGA is not intended to be used, nor shall it be used: (1) as a "Basic Component" under 10 CFR 21 (NRC), used in or with any nuclear installation or activity; or (2) in medical applications or used on humans. Should any Product(s) be used in or with any nuclear installation or activity, medical application, used on humans, or misused in any way, OMEGA assumes no responsibility as set forth in our basic WARRANTY/DISCLAIMER language, and, additionally, purchaser will indemnify OMEGA and hold OMEGA harmless from any liability or damage whatsoever arising out of the use of the Product(s) in such a manner.

RETURN REQUESTS/INQUIRIES

Direct all warranty and repair requests/inquiries to the OMEGA Customer Service Department. BEFORE RETURNING ANY PRODUCT(S) TO OMEGA, PURCHASER MUST OBTAIN AN AUTHORIZED RETURN (AR) NUMBER FROM OMEGA'S CUSTOMER SERVICE DEPARTMENT (IN ORDER TO AVOID PROCESSING DELAYS). The assigned AR number should then be marked on the outside of the return package and on any correspondence.

The purchaser is responsible for shipping charges, freight, insurance and proper packaging to prevent breakage in transit.

FOR WARRANTY RETURNS, please have the following information available BEFORE contacting OMEGA:

1. Purchase Order number under which the product was PURCHASED,
2. Model and serial number of the product under warranty, and
3. Repair instructions and/or specific problems relative to the product.

FOR NON-WARRANTY REPAIRS, consult OMEGA for current repair charges. Have the following information available BEFORE contacting OMEGA:

1. Purchase Order number to cover the COST of the repair,
2. Model and serial number of product, and
3. Repair instructions and/or specific problems relative to the product.

OMEGA's policy is to make running changes, not model changes, whenever an improvement is possible. This affords our customers the latest in technology and engineering.

© Copyright 2005 OMEGA ENGINEERING, INC. All rights reserved. This document may not be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form, in whole or in part, without the prior written consent of OMEGA ENGINEERING, INC.

TRADEMARK NOTICE: ®, omega.com®,  OMEGA®, and ™ are Trademarks of OMEGA ENGINEERING, INC.

PATENT NOTICE: This product is covered by one or more of the following patents: U.S. Pat. No. Des. 336,895; 5,274,577; 6,243,021 / CANADA 2052599; 2052600 / ITALY 1249456; 1250938 / FRANCE BREVET No. 91 12756 / SPAIN 2039150; 2048066 / UK PATENT No. GB2 249 837; GB2 248 954 / GERMANY DE 41 34398 C2. The "Meter Bezel Design" is a Trademark of NEWPORT Electronics, Inc. Used under License. Other US and International Patents pending or applied for.

Where Do I Find Everything I Need for Process Measurement and Control? **OMEGA...Of Course!**

Shop on line at www.omega.com

TEMPERATURE

- Thermocouple, RTD & Thermistor Probes, Connectors, Panels & Assemblies
- Wire: Thermocouple, RTD & Thermistor
- Calibrators & Ice Point References
- Recorders, Controllers & Process Monitors
- Infrared Pyrometers

PRESSURE, STRAIN AND FORCE

- Transducers & Strain Gauges
- Load Cells & Pressure Gauges
- Displacement Transducers
- Instrumentation & Accessories

FLOW/LEVEL

- Rotameters, Gas Mass Flowmeters & Flow Computers
- Air Velocity Indicators
- Turbine/Paddlewheel Systems
- Totalizers & Batch Controllers

pH/CONDUCTIVITY

- pH Electrodes, Testers & Accessories
- Benchtop/Laboratory Meters
- Controllers, Calibrators, Simulators & Pumps
- Industrial pH & Conductivity Equipment

DATA ACQUISITION

- Data Acquisition & Engineering Software
- Communications-Based Acquisition Systems
- Plug-in Cards for Apple, IBM & Compatibles
- Datalogging Systems
- Recorders, Printers & Plotters

HEATERS

- Heating Cable
- Cartridge & Strip Heaters
- Immersion & Band Heaters
- Flexible Heaters
- Laboratory Heaters

ENVIRONMENTAL MONITORING AND CONTROL

- Metering & Control Instrumentation
- Refractometers
- Pumps & Tubing
- Air, Soil & Water Monitors
- Industrial Water & Wastewater Treatment
- pH, Conductivity & Dissolved Oxygen Instruments