

# MAINTENANCE TECHNOLOGY®

THE MAGAZINE OF PLANT EQUIPMENT RELIABILITY, MAINTENANCE, AND ASSET MANAGEMENT

## UNITS FEATURE EMBEDDED INTERNET

iSeries devices connect directly to an Ethernet network with a standard RJ-45 connector and can send and receive data in standard TCP/IP packets—no computer is needed. The panel meters, controllers, and signal conditioners can serve Web pages over an Ethernet LAN or over the Internet, making it



possible to monitor and control a process via a Web browser from anywhere in the facility or around the world. They can send e-mail to alert for alarm condi-

tions or for status updates. The device is assigned an IP address on the network and also can be assigned an easily remembered name. It also works with conventional data acquisition and control programs as well as Visual Basic and Excel. Newport Electronics, Inc., Santa Ana, CA; telephone (800) 639-7678.

Circle 12 on Reader Service Card

MAINTENANCE TECHNOLOGY/DECEMBER 2000

**NEWPORT®**  
**1-800-6397678®**  
**1-800-NEWPORT**  
 2229 South Yale Street • Santa Ana, CA 92704-4401 USA  
 Tel: (714) 540-4914 / (800) NEWPORT / Fax: (714) 546-3022  
[newportUS.com](http://newportUS.com)  
 e-mail: [info@newportUS.com](mailto:info@newportUS.com)